09/530,785

L Number	Hits	Search Text	DB	Time stamp
1	12671	(terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:50
2	548	370/230.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:51
3	72	370/230.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:51
4	184	370/231.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:51
5	398	370/232.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:51
6	86	370/233.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:51
7	67	370/234.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:52
8	176	370/395.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:52
9	82	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:52
10	10	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:53
11	20	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:53
12	64	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:53
13	15	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:53
14	15	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:53
15	57	((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 17:54

| 16 | 231 | (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 17:55 |

| 17 | | 131 | ((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:09 |

| 18 | | 1 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and ((protocol with address$3) same exchang$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:12 |

| 19 | 986 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)).and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and exchan((protocol with address$3) same exchang$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:26 |

| 20 | | 57 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and (control same ("setup" or "set-up")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:15 |

| 21 | | 0 | ((((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and ((protocol with address$3) same exchang$3)) and (control same ("setup" or "set-up")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:15 |

| 22 | | 4 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and ("call control" same ("setup" or "set-up")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:24 |

| 23 | | 0 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and @AD<=19971204) and ("call control" same prior same ("setup" or "set-up")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:25 |

| 24 | | 3 | ((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and ((protocol with address$3) same exchang$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:28 |

| 25 | | 1 | (((((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/230.1.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/231.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/232.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/233.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/234.ccls.) or (((terminal$1 and protocol$1 and address$3 and exchang$3 and ("call control" or (call adj control$5)) and initiat$3 and "call-set" or (call adj set$5))) and 370/395.2.ccls.)) and ((protocol with address$3) same exchang$3)) and ((method or procedur$3 or sequenc$3) same "call setup") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 18:31 |